

Speed Code		22 mm Metal Momentary Pushbuttons	Aust\$
P600	GCX1100	Pushbutton, 22 mm metal, momentary, black flush operator, 1 N.O. contact block	\$14
P625	GCX1100-SC	Pushbutton operator, 22 mm metal, momentary, black, flush. Includes operator and support base ONLY. Contact blocks sold separately.	\$10
P601	GCX1101	Pushbutton, 22 mm metal, momentary, red flush operator, 1 N.C. contact block	\$14
P626	GCX1101-SC	Pushbutton operator, 22 mm metal, momentary, red, flush. Includes operator and support base ONLY. Contact blocks sold separately.	\$10
P602	GCX1102	Pushbutton, 22 mm metal, momentary, green flush operator, 1 N.O. contact block	\$14
P627	GCX1102-SC	Pushbutton operator, 22 mm metal, momentary, green, flush. Includes operator and support base ONLY. Contact blocks sold separately.	\$10
P603	GCX1103	Pushbutton, 22 mm metal, momentary, yellow flush operator, 1 N.O. contact block	\$14
P604	GCX1104	Pushbutton, 22 mm metal, momentary, blue flush operator, 1 N.O. contact block	\$14
P605	GCX1105	Pushbutton, 22 mm metal, momentary, white flush operator, 1 N.O. contact block	\$14
P606	GCX1106	Pushbutton, 22 mm metal, momentary, red with OFF symbol (0) on flush operator, 1 N.C. contact block	\$16
P607	GCX1107	Pushbutton, 22 mm metal, momentary, green with ON symbol (1) on flush operator, 1 N.O. contact block	\$16
		22 mm Metal Momentary Pushbuttons with Extended Actuators	
P610	GCX1110	Pushbutton, 22 mm metal, momentary, black, extended operator, 1 N.O. contact block	\$16
P622	GCX1110-SC	Pushbutton operator, 22 mm metal, momentary, black, extended. Includes operator and support base ONLY. Contact blocks sold separately.	\$10
P611	GCX1111	Pushbutton, 22 mm metal, momentary, red, extended operator, 1 N.C. contact block	\$16
P623	GCX1111-SC	Pushbutton operator, 22 mm metal, momentary, red extended. Includes operator and support base ONLY. Contact blocks sold separately.	\$10
P612	GCX1112	Pushbutton, 22 mm metal, momentary, green, extended operator, 1 N.O. contact block	\$16
P624	GCX1112-SC	Pushbutton operator, 22 mm metal, momentary, green, extended. Includes operator and support base ONLY. Contact blocks sold separately.	\$10
P613	GCX1113	Pushbutton, 22 mm metal, momentary, yellow, extended operator, 1 N.O. contact block	\$16
P614	GCX1114	Pushbutton, 22 mm metal, momentary, blue, extended operator, 1 N.O. contact block	\$16
P615	GCX1115	Pushbutton, 22 mm metal, momentary, white, extended operator, 1 N.O. contact block	\$16
		22 mm Metal Momentary Pushbuttons with Large Actuators	
P616	GCX1120	Pushbutton, 22 mm metal, momentary, black, large 40 mm flush actuator, 1 N.O. contact block (mounts in standard 22 mm hole)	\$17
P617	GCX1121	Pushbutton, 22 mm metal, momentary, red, large 40 mm flush actuator, 1 N.C. contact block (mounts in standard 22 mm hole)	\$17
P618	GCX1122	Pushbutton, 22 mm metal, momentary, green, large 40 mm flush actuator, 1 N.O. contact block (mounts in standard 22 mm hole)	\$17
P619	GCX1123	Pushbutton, 22 mm metal, momentary, yellow, large 40 mm flush actuator, 1 N.O. contact block (mounts in standard 22 mm hole)	\$17
P620	GCX1124	Pushbutton, 22 mm metal, momentary, blue, large 40 mm flush actuator, 1 N.O. contact block (mounts in standard 22 mm hole)	\$17
P621	GCX1125	Pushbutton, 22 mm metal, momentary, white, large 40 mm flush actuator, 1 N.O. contact block (mounts in standard 22 mm hole)	\$17
		22 mm Metal Mushroom Pushbuttons	
P630	GCX1131	Pushbutton, 22 mm metal, twist-to-release, red 40 mm mushroom operator, 1 N.C. contact block. Typically used in Emergency Stop applications.	\$27
P631	GCX1134	Pushbutton, 22 mm metal, momentary, black 40 mm mushroom operator, 1 N.O. contact block	\$22
P632	GCX1135	Pushbutton, 22 mm metal, momentary, red 40 mm mushroom operator, 1 N.C. contact block	\$22
P633	GCX1139	Pushbutton, 22 mm metal, momentary, yellow 40 mm mushroom operator, 1 N.O. contact block	\$22
P634	GCX1141	Pushbutton, 22 mm metal, key operated release, red 40 mm mushroom operator, 1 N.C. contact block. Typically used in Emergency Stop applications.	\$38
P635	GCX1136	Pushbutton, 22 mm metal, twist-to-release, red 60 mm mushroom operator, 1 N.C. contact block. Typically used in Emergency Stop applications	\$34
P636	GCX1137	Pushbutton, 22 mm metal, momentary, red 60 mm mushroom operator, 1 N.C. contact block.	\$27
		22 mm Metal Two-way Pushbuttons	
P640	GCX1150	Pushbutton, 22 mm metal, two-way for On/Off control, faces without symbols. Supplied with 1 N.O. and 1 N.C. contact block.	\$27
P641	GCX1152	Pushbutton, 22 mm metal, two-way for On/Off control, with ON (1) and OFF (0) symbols. Supplied with 1 N.O. and 1 N.C. contact block.	\$29
P642	GCX1151-24	Pushbutton, 22 mm metal, two-way for On/Off control, 24 VAC/DC indicator, faces without symbols. Supplied with 1 N.O. and 1 N.C. contact block	\$41
P643	GCX1151-120	Pushbutton, 22 mm metal, two-way for On/Off control, 120 VAC/DC indicator, faces without symbols. Supplied with 1 N.O. and 1 N.C. contact block	\$44
P644	GCX1153-24	Pushbutton, 22 mm metal, two-way for On/Off control, 24 VAC/DC indicator, with ON (1) and OFF (0) symbols. Supplied with 1 N.O. and 1 N.C. contact block	\$43
P645	GCX1153-120	Pushbutton, 22 mm metal, two-way for On/Off control, 120 VAC/DC indicator, with ON (1) and OFF (0) symbols. Supplied with 1 N.O. and 1 N.C. contact block	\$45

22 mm Metal Incandescent Illuminated Push On/Push Off Pushbuttons			
P650	GCX1191-24	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, red, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$31
P651	GCX1192-24	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, green, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$31
P652	GCX1193-24	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, yellow, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$31
P653	GCX1194-24	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, blue, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$31
P654	GCX1195-24	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, clear, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$31
P655	GCX1196-24	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, white, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$31
P656	GCX1191-120	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, red, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$33
P657	GCX1192-120	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, green, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$33
P658	GCX1193-120	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, yellow, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$33
P659	GCX1194-120	Pushbutton, 22 mm metal, push ON - push OFF, incandescent incandescent illuminated, blue, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$33
P660	GCX1195-120	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, clear, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$33
P661	GCX1196-120	Pushbutton, 22 mm metal, push ON - push OFF, incandescent incandescent illuminated, white, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$33
22 mm Metal LED Illuminated Push On/Push Off Pushbuttons			
P915	GCX1191-24L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, red, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$50
P916	GCX1192-24L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, green, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$50
P917	GCX1193-24L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, yellow, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$50
P918	GCX1194-24L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, blue, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$50
P919	GCX1195-24L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, clear, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$50
P920	GCX1196-24L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, white, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$50
P921	GCX1191-120L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, red, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$54
P922	GCX1192-120L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, green, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$54
P923	GCX1193-120L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, yellow, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$54
P924	GCX1194-120L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, blue, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$54
P925	GCX1195-120L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, clear, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$54
P926	GCX1196-120L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, white, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$54
22 mm Metal Incandescent Illuminated Momentary Pushbuttons with Colored Plastic Ring			
P670	GCX1201-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, red, 24 VAC/DC, flush operator with colored plastic ring, 1 N.C. contact block.	\$27
P671	GCX1202-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, green, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$27
P672	GCX1203-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, yellow, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$27
P673	GCX1204-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, blue, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$27
P674	GCX1205-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, clear, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$27
P675	GCX1206-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, white, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$27
P676	GCX1201-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, red, 120 VAC/DC, flush operator with colored plastic ring, 1 N.C. contact block.	\$30
P677	GCX1202-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, green, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$30
P678	GCX1203-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, yellow, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$30
P679	GCX1204-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, blue, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$30
P680	GCX1205-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, clear, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$30
P681	GCX1206-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, white, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$30

		22 mm Metal LED Illuminated Momentary Pushbuttons	
P901	GCX1201-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 24 VAC/DC, flush operator with colored plastic ring, 1 N.C. contact block	\$43
P902	GCX1202-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, green, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$43
P903	GCX1203-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, yellow, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$43
P904	GCX1204-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, blue, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$43
P905	GCX1205-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, clear, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$49
P906	GCX1206-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, white, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$49
P907	GCX1201-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 120 VAC/DC, flush operator with colored plastic ring, 1 N.C. contact block	\$52
P908	GCX1202-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, green, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$52
P909	GCX1203-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, yellow, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$52
P910	GCX1204-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, blue, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$52
P911	GCX1205-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, clear, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$54
P912	GCX1206-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, white, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$54
P913	GCX1211-120LA	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 120 VAC/DC, extended operator, 1 N.O. contact block	\$38
		22 mm Metal Incandescent Illuminated Momentary Pushbuttons	
P690	GCX1211-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, red, 24 VAC/DC, extended operator, 1 N.C. contact block	\$26
P691	GCX1212-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, green, 24 VAC/DC, extended operator, 1 N.O. contact block	\$26
P692	GCX1213-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, yellow, 24 VAC/DC, extended operator, 1 N.O. contact block	\$26
P693	GCX1214-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, blue, 24 VAC/DC, extended operator, 1 N.O. contact block	\$26
P694	GCX1215-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, clear, 24 VAC/DC, extended operator, 1 N.O. contact block	\$26
P695	GCX1216-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, white, 24 VAC/DC, extended operator, 1 N.O. contact block	\$26
P696	GCX1211-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, red, 120 VAC/DC lamp, extended operator, 1 N.C. contact block	\$29
P697	GCX1212-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, green, 120 VAC/DC lamp, extended operator, 1 N.O. contact block	\$29
P698	GCX1213-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, yellow, 120 VAC/DC lamp, extended operator, 1 N.O. contact block	\$29
P699	GCX1214-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, blue, 120 VAC/DC lamp, extended operator, 1 N.O. contact block	\$29
P700	GCX1215-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, clear, 120 VAC/DC lamp, extended operator, 1 N.O. contact block	\$29
P701	GCX1216-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, white, 120 VAC/DC lamp, extended operator, 1 N.O. contact block	\$29
		22 mm Metal LED Illuminated Momentary Pushbuttons with Extended Actuators	
P718	GCX1211-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 24 VAC/DC, extended operator, 1 N.C. contact block	\$36
P719	GCX1212-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, green, 24 VAC/DC, extended operator, 1 N.O. contact block	\$40
P740	GCX1213-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, yellow, 24 VAC/DC, extended operator, 1 N.O. contact block	\$36
P741	GCX1214-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, blue, 24 VAC/DC, extended operator, 1 N.O. contact block	\$41
P742	GCX1215-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, clear, 24 VAC/DC, extended operator, 1 N.O. contact block	\$46
P743	GCX1216-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, white, 24 VAC/DC, extended operator, 1 N.O. contact block	\$46
P744	GCX1211-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 120 VAC/DC, extended operator, 1 N.C. contact block	\$38
P745	GCX1212-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, green, 120 VAC/DC, extended operator, 1 N.O. contact block	\$27
P746	GCX1213-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, yellow, 120 VAC/DC, extended operator, 1 N.O. contact block	\$38
P747	GCX1214-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, blue, 120 VAC/DC, extended operator, 1 N.O. contact block	\$44
P748	GCX1215-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, clear, 120 VAC/DC, extended operator, 1 N.O. contact block	\$47
P749	GCX1216-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, white, 120 VAC/DC, extended operator, 1 N.O. contact block	\$47

		22 mm Metal Incandescent Illuminated Mushroom Pushbuttons	
P710	GCX1221-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, red, 24 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$31
P711	GCX1221-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, red, 120 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$35
P712	GCX1226-24	Pushbutton, 22 mm metal, latch with twist-to-release, incandescent illuminated, red, 24 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$36
P713	GCX1226-120	Pushbutton, 22 mm metal, latch with twist-to-release, incandescent illuminated, red, 120 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$39
P714	GCX1221-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 24 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$40
P715	GCX1221-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 120 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$43
P716	GCX1226-24L	Pushbutton, 22 mm metal, latch with twist-to-release, LED illuminated, red, 24 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$45
P717	GCX1226-120L	Pushbutton, 22 mm metal, latch with twist-to-release, LED illuminated, red, 120 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$49
		22 mm Metal Incandescent Illuminated Two-position Selector Switches	
P720	GCX1241-24	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, red, 24 VAC/DC, knob operator, 1 N.O. contact block	\$31
P721	GCX1242-24	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, green, 24 VAC/DC, knob operator, 1 N.O. contact block	\$31
P722	GCX1243-24	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, yellow, 24 VAC/DC, knob operator, 1 N.O. contact block	\$31
P723	GCX1244-24	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, blue, 24 VAC/DC, knob operator, 1 N.O. contact block	\$31
P724	GCX1245-24	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent incandescent incandescent illuminated, clear, 24 VAC/DC, knob operator, 1 N.O. contact block	\$31
P725	GCX1251-24	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, red, 24 VAC/DC, knob operator, 1 N.O. contact block	\$31
P726	GCX1252-24	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, green, 24 VAC/DC, knob operator, 1 N.O. contact block	\$31
P727	GCX1253-24	Selector switch, 22 mm metal, 2-position, maintained, incandescent incandescent illuminated, yellow, 24 VAC/DC, knob operator, 1 N.O. contact block	\$31
P728	GCX1254-24	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, blue, 24 VAC/DC, knob operator, 1 N.O. contact block	\$31
P729	GCX1255-24	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, clear, 24 VAC/DC, knob operator, 1 N.O. contact block	\$31
P730	GCX1241-120	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, red, 120 VAC/DC, knob operator, 1 N.O. contact block	\$34
P731	GCX1242-120	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, green, 120 VAC/DC, knob operator, 1 N.O. contact block	\$34
P732	GCX1243-120	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, yellow, 120 VAC/DC, knob operator, 1 N.O. contact block	\$34
P733	GCX1244-120	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, blue, 120 VAC/DC, knob operator, 1 N.O. contact block	\$34
P734	GCX1245-120	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, clear, 120 VAC/DC, knob operator, 1 N.O. contact block	\$34
P735	GCX1251-120	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, red, 120 VAC/DC, knob operator, 1 N.O. contact block	\$34
P736	GCX1252-120	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, green, 120 VAC/DC, knob operator, 1 N.O. contact block	\$34
P737	GCX1253-120	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, yellow, 120 VAC/DC, knob operator, 1 N.O. contact block	\$34
P738	GCX1254-120	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, blue, 120 VAC/DC, knob operator, 1 N.O. contact block	\$34
P739	GCX1255-120	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, clear, 120 VAC/DC, knob operator, 1 N.O. contact block	\$34

		22 mm Metal LED Illuminated Two-position Selector Switches	
P945	GCX1241-24L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, red, 24 VAC/DC, knob operator, 1 N.O. contact block	\$40
P946	GCX1242-24L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, green, 24 VAC/DC, knob operator, 1 N.O. contact block	\$45
P947	GCX1243-24L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, yellow, 24 VAC/DC, knob operator, 1 N.O. contact block	\$40
P948	GCX1244-24L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, blue, 24 VAC/DC, knob operator, 1 N.O. contact block	\$45
P949	GCX1245-24L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, clear, 24 VAC/DC, knob operator, 1 N.O. contact block	\$49
P950	GCX1251-24L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, red, 24 VAC/DC, knob operator, 1 N.O. contact block	\$40
P951	GCX1252-24L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, green, 24 VAC/DC, knob operator, 1 N.O. contact block	\$45
P952	GCX1253-24L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, yellow, 24 VAC/DC, knob operator, 1 N.O. contact block	\$40
P953	GCX1254-24L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, blue, 24 VAC/DC, knob operator, 1 N.O. contact block	\$45
P954	GCX1255-24L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, clear, 24 VAC/DC, knob operator, 1 N.O. contact block	\$49
P955	GCX1241-120L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, red, 120 VAC/DC, knob operator, 1 N.O. contact block	\$40
P956	GCX1242-120L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, green, 120 VAC/DC, knob operator, 1 N.O. contact block	\$45
P957	GCX1243-120L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, yellow, 120 VAC/DC, knob operator, 1 N.O. contact block	\$40
P958	GCX1244-120L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, blue, 120 VAC/DC, knob operator, 1 N.O. contact block	\$49
P959	GCX1245-120L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, clear, 120 VAC/DC, knob operator, 1 N.O. contact block	\$49
P960	GCX1251-120L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, red, 120 VAC/DC, knob operator, 1 N.O. contact block	\$40
P961	GCX1252-120L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, green, 120 VAC/DC, knob operator, 1 N.O. contact block	\$45
P962	GCX1253-120L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, yellow, 120 VAC/DC, knob operator, 1 N.O. contact block	\$40
P963	GCX1254-120L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, blue, 120 VAC/DC, knob operator, 1 N.O. contact block	\$49
P964	GCX1255-120L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, clear, 120 VAC/DC, knob operator, 1 N.O. contact block	\$52
		22 mm Metal Incandescent Illuminated Three-position Selector Switches	
P750	GCX1261-24	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, red, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$52
P751	GCX1262-24	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, green, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$52
P752	GCX1263-24	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, yellow, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$52
P753	GCX1264-24	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, blue, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$52
P754	GCX1265-24	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, clear, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$52
P755	GCX1281-24	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, red, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$52
P756	GCX1282-24	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, green, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$52
P757	GCX1283-24	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, yellow, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$52
P758	GCX1284-24	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, blue, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$52
P759	GCX1285-24	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, clear, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$52
P760	GCX1261-120	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, red, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$53
P761	GCX1262-120	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, green, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$53
P762	GCX1263-120	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, yellow, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$53
P763	GCX1264-120	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, blue, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$53
P764	GCX1265-120	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, clear, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$53
P765P	GCX1281-120	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, red, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$53
P766	GCX1282-120	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, green, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$53
P767	GCX1283-120	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, yellow, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$53
P768	GCX1284-120	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, blue, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$53
P769	GCX1285-120	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, clear, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$53

		22 mm Metal LED Illuminated Three-position Selector Switches	
P966	GCX1261-24L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, red, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$61
P967	GCX1262-24L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, green, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$65
P968	GCX1263-24L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, yellow, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$61
P969	GCX1264-24L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, blue, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$65
P970	GCX1265-24L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, clear, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
P971	GCX1281-24L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, red, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$61
P972	GCX1282-24L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, green, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$65
P973	GCX1283-24L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, yellow, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$61
P974	GCX1284-24L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, blue, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$65
P975	GCX1285-24L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, clear, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
P976	GCX1261-120L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, red, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$65
P977	GCX1262-120L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, green, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$65
P978	GCX1263-120L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, yellow, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$65
P979	GCX1264-120L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, blue, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$65
P980	GCX1265-120L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, clear, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
P981	GCX1281-120L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, red, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$65
P982	GCX1282-120L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, green, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$65
P983	GCX1283-120L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, yellow, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$65
P984	GCX1284-120L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, blue, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$65
P985	GCX1285-120L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, clear, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
		22 mm Metal Two and Three-position Selector Switches (non-illuminated)	
P780	GCX1300	Selector switch, 22 mm metal, 2-position, maintained, black knob, 1 N.O. contact block	\$21
P781	GCX1310	Selector switch, 22 mm metal, 2-position, spring return from right, black knob, 1 N.O. contact block	\$24
P782	GCX1320-22	Selector switch, 22 mm metal, 3-position, maintained, black knob, 2 N.O. and 2 N.C. contact blocks	\$41
P783	GCX1330-22	Selector switch, 22 mm metal, 3-position, spring return to center, black knob, 2 N.O. and 2 N.C. contact blocks	\$43
P784	GCX1350	Selector switch, 22 mm metal, 2-position, maintained, black lever, 1 N.O. contact block	\$24
P785	GCX1360	Selector switch, 22 mm metal, 2-position, spring return from right, black lever, 1 N.O. contact block	\$25
P786	GCX1370-22	Selector switch, 22 mm metal, 3-position, maintained, black lever, 2 N.O. and 2 N.C. contact blocks	\$43
P787	GCX1380-22	Selector switch, 22 mm metal, 3-position, spring return to center, black lever, 2 N.O. and 2 N.C. contact blocks	\$44
P788	GCX1420	Selector switch, 22 mm metal, 2-position, maintained, key-operated, 1 N.O. contact block. Key may be removed in all positions.	\$39
P789	GCX1430	Selector switch, 22 mm metal, 2-position, spring return from right, key-operated, 1 N.O. contact block	\$39
P790	GCX1470-22	Selector switch, 22 mm metal, 3-position, maintained, key-operated, 2 N.O. and 2 N.C. contact blocks. Key may be removed in all positions.	\$58
		22 mm Metal Joystick Selector Switches	
P800	ECX1510	Selector switch, 22 mm metal, 2-position, momentary, joystick operator, 2 N.O. contact blocks	\$57
P801	ECX1512	Selector switch, 22 mm metal, 2-position, maintained, joystick operator, 2 N.O. contact blocks	\$57
P802	ECX1520	Selector switch, 22 mm metal, 4-position, momentary, joystick operator, 4 N.O. contact blocks	\$74
P803	ECX1524	Selector switch, 22 mm metal, 4-position, maintained, joystick operator, 4 N.O. contact blocks	\$74
		22 mm Audible Buzzers	
P791	ECX2070-24	22 mm audible buzzer, 80db at 10 cm, 24 VAC/DC, black	\$14
P792	ECX2070-127	22 mm audible buzzer, 80db at 10 cm, 120 VAC/DC, black	\$14
P793	ECX2071-24R	22 mm audible buzzer with LED indicator, 80db at 10 cm, 24 VAC/DC, red, non-replaceable LED	\$18
P794	ECX2071-127R	22 mm audible buzzer with LED indicator, 80db at 10 cm, 120 VAC/DC, red, non-replaceable LED	\$18
		22 mm Potentiometers	
P795	ECX2300-5K	22 mm potentiometer with 5 Kohm resistance, black handle. Legend plate ECX2640 sold separately.	\$78
P796	ECX2300-10K	22 mm potentiometer with 10 Kohm resistance, black handle. Legend plate ECX2640 sold separately.	\$78
P797	ECX2640	22 mm legend plate for potentiometer with 0% to 100% marking, package of 1	\$8

		22 mm Incandescent Indicating Lights	
P810	ECX1051-24	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC incandescent, red	\$12
P811	ECX1052-24	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC incandescent, green	\$12
P812	ECX1053-24	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC incandescent, yellow	\$12
P813	ECX1054-24	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC incandescent, blue	\$12
P814	ECX1055-24	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC incandescent, clear	\$12
P815	ECX1056-24	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC incandescent, white	\$12
P816	ECX1051-120	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC incandescent, red	\$14
P817	ECX1052-120	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC incandescent, green	\$14
P818	ECX1053-120	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC incandescent, yellow	\$14
P819	ECX1054-120	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC incandescent, blue	\$14
P820	ECX1055-120	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC incandescent, clear	\$14
P821	ECX1056-120	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC incandescent, white	\$14
		22 mm Non-metal LED Indicating Lights	
P822	ECX2051-24L	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC LED, red	\$11
P823	ECX2051-127L	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC LED, red	\$13
P824	ECX2052-24L	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC LED, green	\$11
P825	ECX2052-127L	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC LED, green	\$13
P826	ECX2053-24L	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC LED, yellow	\$11
P827P	ECX2053-127L	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC LED, yellow	\$13
P828	ECX2054-24L	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC LED, blue	\$18
P829	ECX2054-127L	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC LED, blue	\$18
P843	ECX2055-24L	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC LED, white	\$18
P844	ECX2055-127L	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC LED, white	\$18
		22 mm Metal LED Indicating Lights	
P930	GCX1231-24L	Indicating light, 22 mm metal, 24 VAC/DC LED, red	\$31
P931	GCX1232-24L	Indicating light, 22 mm metal, 24 VAC/DC LED, green	\$31
P932	GCX1233-24L	Indicating light, 22 mm metal, 24 VAC/DC LED, yellow	\$31
P933	GCX1234-24L	Indicating light, 22 mm metal, 24 VAC/DC LED, blue	\$31
P934	GCX1235-24L	Indicating light, 22 mm metal, 24 VAC/DC LED, clear	\$36
P935	GCX1236-24L	Indicating light, 22 mm metal, 24 VAC/DC LED, white	\$36
P936	GCX1231-120L	Indicating light, 22 mm metal, 120 VAC/DC LED, red	\$34
P937	GCX1232-120L	Indicating light, 22 mm metal, 120 VAC/DC LED, green	\$34
P938	GCX1233-120L	Indicating light, 22 mm metal, 120 VAC/DC LED, yellow	\$34
P939	GCX1234-120L	Indicating light, 22 mm metal, 120 VAC/DC LED, blue	\$34
P940	GCX1235-120L	Indicating light, 22 mm metal, 120 VAC/DC LED, clear	\$38
P941	GCX1236-120L	Indicating light, 22 mm metal, 120 VAC/DC LED, white	\$38

		Replacement Lamps for 22 mm Devices	
P830	ECX1900-5	6 Volt replacement incandescent lamps for metal and non-metal switches and indicators. Rated 6 Volts @ 1.2 watts. Miniature bayonet base T31/4. Sold in packs of 5.	\$18
P831	ECX1902-5	24 Volt replacement incandescent lamps for metal and non-metal switches and indicators. Rated 24 Volts @ 80 mA. Miniature bayonet base T31/4. Sold in packs of 5.	\$18
P832	ECX1904-5	120 Volt replacement incandescent lamps for metal and non-metal switches and indicators. Rated 130 Volts @ 20 mA. Miniature bayonet base T31/4. Sold in packs of 5.	\$38
P833	ECX1911-2	LED replacement lamp for miniature bayonet base lamps, red, 24 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$34
P834	ECX1912-2	LED replacement lamp for miniature bayonet base lamps, green, 24 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$42
P835	ECX1913-2	LED replacement lamp for miniature bayonet base lamps, yellow, 24 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$34
P836	ECX1914-2	LED replacement lamp for miniature bayonet base lamps, blue, 24 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$46
P837	ECX1915-2	LED replacement lamp for miniature bayonet base lamps, white, 24 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$54
P838	ECX1921-2	LED replacement lamp for miniature bayonet base lamps, red, 120 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$34
P839	ECX1922-2	LED replacement lamp for miniature bayonet base lamps, green, 120 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$42
P840	ECX1923-2	LED replacement lamp for miniature bayonet base lamps, yellow, 120 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$34
P841	ECX1924-2	LED replacement lamp for miniature bayonet base lamps, blue, 120 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$46
P842	ECX1925-2	LED replacement lamp for miniature bayonet base lamps, white, 120 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$54
		Replacement Operators for 22 mm Metal Pilot Devices	
P990	GR1172PR-5	Illuminated short lever replacement operator for 22 mm selector switch, two-position, red, pack of 5	\$31
P991	GR1172PV-5	Illuminated short lever replacement operator for 22 mm selector switch, two-position, green, pack of 5	\$31
P992	GR1172PG-5	Illuminated short lever replacement operator for 22 mm selector switch, two-position, yellow, pack of 5	\$31
P993	GR1172PB-5	Illuminated short lever replacement operator for 22 mm selector switch, two-position, blue, pack of 5	\$31
P994	GR1172PN-5	Illuminated short lever replacement operator for 22 mm selector switch, two-position, clear, pack of 5	\$31
P995	GR1288PR-5	Illuminated short lever replacement operator for 22 mm selector switch, three-position, red, pack of 5	\$31
P996	GR1288PV-5	Illuminated short lever replacement operator for 22 mm selector switch, three-position, green, pack of 5	\$31
P997P	GR1288PG-5	Illuminated short lever replacement operator for 22 mm selector switch, three-position, yellow, pack of 5	\$31
P998	GR1288PB-5	Illuminated short lever replacement operator for 22 mm selector switch, three-position, blue, pack of 5	\$31
P999	GR1288PN-5	Illuminated short lever replacement operator for 22 mm selector switch, three-position, clear, pack of 5	\$31
P1000	PL1298P-5	Illuminated replacement operator for 22 mm mushroom switch, red, pack of 5	\$13
		22 mm Protection Caps for Metal Pilot Devices	
P850	ECX1700-5	Black silicone protection cap for use with metal pushbuttons. This cap will only work with metal standard size pushbuttons. They will not work with Cutler-Hammer pushbuttons or metal 22 mm pushbuttons with 40mm actuator face. Sold in packs of 5.	\$14
P851	ECX1701-5	Red silicone protection cap for use with metal pushbuttons. This cap will only work with metal standard size pushbuttons. They will not work with Cutler-Hammer pushbuttons or metal 22 mm pushbuttons with 40mm actuator face. Sold in packs of 5.	\$14
P852	ECX1702-5	Green silicone protection cap for use with metal pushbuttons. This cap will only work with metal standard size pushbuttons. They will not work with Cutler-Hammer pushbuttons or metal 22 mm pushbuttons with 40 mm actuator face. Sold in packs of 5.	\$14
P853	ECX1703-5	Yellow silicone protection cap for use with metal pushbuttons. This cap will only work with metal standard size pushbuttons. They will not work with Cutler-Hammer pushbuttons or metal 22 mm pushbuttons with 40 mm actuator face. Sold in packs of 5.	\$14
P854	ECX1704-5	Blue silicone protection cap for use with metal pushbuttons. This cap will only work with metal standard size pushbuttons. They will not work with Cutler-Hammer pushbuttons or metal 22 mm pushbuttons with 40 mm actuator face. Sold in packs of 5.	\$14
P855	ECX1705-5	Clear silicone protection cap for use with metal pushbuttons. This cap will only work with metal standard size pushbuttons. They will not work with Cutler-Hammer pushbuttons or metal 22 mm pushbuttons with 40 mm actuator face. Sold in packs of 5.	\$14
P856	ECX1706-5	Clear silicone protection cap for use with metal illuminated pushbuttons. This cap will only work with 22 mm metal illuminated and extended pushbuttons. They will not work with Cutler-Hammer pushbuttons, metal 22 mm pushbuttons with 40 mm actuator face, or metal illuminated mushroom pushbuttons. Sold in packs of 5.	\$25

		22 mm Pushbutton Enclosures	
P860	SA100SL	One-hole plastic enclosure for 22 mm devices, 70 mm H x 70 mm W x 51 mm D, gray top (Note: Will accommodate up to two contact blocks per operator, two wide by one deep)	\$14
P861	SA101SL	One-hole plastic enclosure for 22 mm devices, 70 mm H x 70 mm W x 51 mm D, yellow top (Note: Will accommodate up to two contact blocks per operator, two wide by one deep)	\$15
P862	SA103SL	One-hole plastic enclosure for 22 mm devices, 70 mm H x 70 mm W x 74 mm D, gray top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$16
P863	SA104SL	One-hole plastic enclosure for 22 mm devices, 70 mm H x 70 mm W x 74 mm D, yellow top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$17
P864	SA105-40SL	Two-hole plastic enclosure for 22 mm devices, 105 mm H x 70 mm W x 51 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to two contact blocks per operator, two wide by one deep)	\$18
P865	SA106-40SL	Two-hole plastic enclosure for 22 mm devices, 105 mm H x 70 mm W x 74 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$20
P866	SA107-40SL	Three-hole plastic enclosure for 22mm devices, 140 mm H x 70 mm W x 51 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to two contact blocks per operator, two wide by one deep)	\$22
P867	SA108-40SL	Three-hole plastic enclosure for 22mm devices, 140 mm H x 70 mm W x 74 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$25
P868	SA109-40SL	Four-hole plastic enclosure for 22 mm devices, 185 mm H x 70 mm W x 51 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to two contact blocks per operator, two wide by one deep)	\$25
P869	SA110-40SL	Four-hole plastic enclosure for 22 mm devices, 185 mm H x 70 mm W x 74 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$29
P870	SA111-00	Plastic enclosure for 22 mm devices, no holes, 225 mm H x 70 mm W x 74 mm D, gray top	\$26
P871	SA111	Five-hole plastic enclosure for 22 mm devices, 225 mm H x 70 mm W x 74 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$26
P872	SA112	Six-hole plastic enclosure for 22 mm devices, 225 mm H x 70 mm W x 74 mm D, 30 mm between hole centers (40mm for 6th hole), gray top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$27
		22 mm Metal Pilot Device Accessories	\$0
P880	ECX1490	Hole plug for 22.5 mm openings in panels and enclosures. Supplied with O-ring and mounting screw. Package of two plugs.	\$4
P881	ECX1029-2	22 mm support base. Note: This item is supplied as a replacement part and is not required with any switch assembly. Will not work with Cutler-Hammer 22 mm switches.	\$13
P882	ECX1030-5	Replacement normally closed contact block for 22 mm metal pushbutton & selector switches. Sold in packs of 5. NOTE: These contact blocks will not work with other switches sold by AutomationDirect	\$33
P883	ECX1040-5	Replacement normally open contact block for 22 mm metal pushbutton & selector switches. Sold in packs of 5. NOTE: These contact blocks will not work with other switches sold by AutomationDirect	\$33
P886	ECX1030-2	Replacement normally closed contact blocks for 22 mm metal pushbutton and selector switches, pack of 2. NOTE: These contact blocks are not compatible with other switches sold by AutomationDirect.	\$13
P887	ECX1040-2	Replacement normally open contact blocks for 22 mm metal pushbutton and selector switches, pack of 2. NOTE: These contact blocks are not compatible with other switches sold by AutomationDirect.	\$13
P888	ECX1042-2	Replacement normally open push-push contact blocks for 22 mm metal pushbutton and selector switches, pack of 2. NOTE: These contact blocks are not compatible with other switches sold by AutomationDirect.	\$13
P884	ECX1067-2	Replacement key for metal key-actuated selector switches. (Will not work with Cutler-Hammer 22 mm selector switches) Pack of 2.	\$12
P885	ECX1651	Legend plate, oversize yellow circular EMERGENCY. Works with 22 mm E-Stop type pushbuttons. Pack of 1.	\$6