

Q Series Electromechanical Cube Relays and Accessories		Aust\$
QL2N1-A120	Cube relay, 120 VAC coil, 2PDT, 10A contact rating, with LED indicator	\$15
QL2N1-D24	Cube relay, 24 VDC coil, 2PDT, 10A contact rating, with LED indicator	\$15
QL2X1-D24	Cube relay, 24 VDC coil, 2PDT, 10A contact rating, with LED indicator and diode protection	\$17
QL2N1-A220	Cube relay, 240 VAC coil, 2PDT, 10A contact rating, with LED indicator	\$15
QL4N1-A120	Cube relay, 120 VAC coil, 4PDT, 10A contact rating, with LED indicator	\$17
QL4N1-D24	Cube relay, 24 VDC coil, 4PDT, 10A contact rating, with LED indicator	\$17
QL4X1-D24	Cube relay, 24 VDC coil, 4PDT, 10A contact rating, with LED indicator and diode protection	\$23
QL4N1-A220	Cube relay, 240 VAC coil, 4PDT, 10A contact rating, with LED indicator	\$17
QM2N1-A120	Cube relay, 120 VAC coil, 2PDT, 5A contact rating, with LED indicator	\$7
QM2N1-D24	Cube relay, 24 VDC coil, 2PDT, 5A contact rating, with LED indicator	\$7
QM2X1-D24	Cube relay, 24 VDC coil, 2PDT, 5A contact rating, with LED indicator and diode protection	\$14
QM2N1-A220	Cube relay, 240 VAC coil, 2PDT, 5A contact rating, with LED indicator	\$7
QM4N1-A120	Cube relay, 120 VAC coil, 4PDT, 3A contact rating, with LED indicator	\$7
QM4N1-D24	Cube relay, 24 VDC coil, 4PDT, 3A contact rating, with LED indicator	\$7
QM4X1-D24	Cube relay, 24 VDC coil, 4PDT, 3A contact rating, with LED indicator and diode protection	\$14
QM4N1-A220	Cube relay, 240 VAC coil, 4PDT, 3A contact rating, with LED indicator	\$12
SQL08D	DIN rail socket for QL2 series relays	\$6
SQL14D	DIN rail socket for QL4 series relays	\$6
SQM08D	DIN rail socket for QM2 series relays	\$6
SQM14D	DIN rail socket for QM4 series relays	\$6
78 Series Electromechanical Cube Relays and Accessories		Aust\$
781-1C-24D	Cube relay, 24 VDC coil voltage, 1PDT, 15A contact rating, with LED indicator and push-to-test button	\$7
781-1C-24A	Cube relay, 24 VAC coil voltage, 1PDT, 15A contact rating, with LED indicator and push-to-test button	\$7
781-1C-120A	Cube relay, 120 VAC coil voltage, 1PDT, 15A contact rating, with LED indicator and push-to-test button	\$7
781-1C-240A	Cube relay, 240 VAC coil voltage, 1PDT, 12A contact rating, with LED indicator and push-to-test button	\$9
782-2C-24D	Cube relay, 24 VDC coil voltage, 2PDT, 15A contact rating, with LED indicator and push-to-test button	\$10
782-2C-24A	Cube relay, 24 VAC coil voltage, 2PDT, 15A contact rating, with LED indicator and push-to-test button	\$11
782-2C-120A	Cube relay, 120 VAC coil voltage, 2PDT, 15A contact rating, with LED indicator and push-to-test button	\$11
782-2C-240A	Cube relay, 240 VAC coil voltage, 2PDT, 15A contact rating, with LED indicator and push-to-test button	\$11
783-3C-24D	Cube relay, 24 VDC coil voltage, 3PDT, 15A contact rating, with LED indicator and push-to-test button	\$15
783-3C-24A	Cube relay, 24 VAC coil voltage, 3PDT, 15A contact rating, with LED indicator and push-to-test button	\$15
783-3C-120A	Cube relay, 120 VAC coil voltage, 3PDT, 15A contact rating, with LED indicator and push-to-test button	\$15
783-3C-240A	Cube relay, 240 VAC coil voltage, 3PDT, 12A contact rating, with LED indicator and push-to-test button	\$15
784-4C-24D	Cube relay, 24 VDC coil voltage, 4PDT, 15A contact rating, with LED indicator and push-to-test button	\$14
784-4C-24A	Cube relay, 24 VAC coil voltage, 4PDT, 15A contact rating, with LED indicator and push-to-test button	\$14
784-4C-120A	Cube relay, 120 VAC coil voltage, 4PDT, 15A contact rating, with LED indicator and push-to-test button	\$14
784-4C-240A	Cube relay, 240 VAC coil voltage, 4PDT, 12A contact rating, with LED indicator and push-to-test button	\$14
781-1C-SKT	DIN-rail socket for 781 series cube relays	\$7
782-2C-SKT	DIN-rail socket for 782 and AD-70S2 series cube relays	\$7
783-3C-SKT	DIN-rail socket for 783 series cube relays	\$8
784-4C-SKT-1	DIN-rail socket for 784 series cube relays	\$9

75 Series Electromechanical Octal Relays and Accessories		Aust\$
750-2C-24D	Octal relay, 24 VDC coil voltage, 2PDT, 12A contact rating, with LED indicator and push-to-test button	\$15
750-2C-24A	Octal relay, 24 VAC coil voltage, 2PDT, 12A contact rating, with LED indicator and push-to-test button	\$15
750-2C-120A	Octal relay, 120 VAC coil voltage, 2PDT, 12A contact rating, with LED indicator and push-to-test button	\$15
750-2C-240A	Octal relay, 240 VAC coil voltage, 2PDT, 12A contact rating, with LED indicator and push-to-test button	\$16
750-3C-24D	Octal relay, 24 VDC coil voltage, 3PDT, 12A contact rating, with LED indicator and push-to-test button	\$17
750-3C-24A	Octal relay, 24 VAC coil voltage, 3PDT, 12A contact rating, with LED indicator and push-to-test button	\$17
750-3C-120A	Octal relay, 120 VAC coil voltage, 3PDT, 12A contact rating, with LED indicator and push-to-test button	\$17
750-3C-240A	Octal relay, 240 VAC coil voltage, 3PDT, 12A contact rating, with LED indicator and push-to-test button	\$18
755-2C-120A	Magnetic latching relay, single coil, 120 VAC coil voltage, 16A contact rating, 11 pin octal pin configuration (750-3C-SKT base sold separately)	\$17
755-2C-240A	Magnetic latching relay, single coil, 240 VAC coil voltage, 16A contact rating, 11 pin octal pin configuration (750-3C-SKT base sold separately)	\$19
755-2CD-24D	Magnetic latching relay, dual coil, 24 VDC coil voltage, 16A contact rating, 11 pin octal configuration (750-3C-SKT base sold separately)	\$17
750-2C-SKT	DIN-rail socket for 750-2C series octal relays, 8-pin configuration	\$8
750-3C-SKT	DIN-rail socket for 750-3C and 755 series octal relays, 11-pin configuration	\$9
33-796-1	Bus bar used to connect multiple octal relays in parallel. Package includes 5 pair of bus bars to connect up to 5 relays together.	\$6
78 and 75 Series Electromechanical Relay Accessories		Aust\$
AD-ASMD-250	Protection diode module for 784 and 750 series relays. Package includes 5 modules.	\$15
AD-BSMD-250	Protection diode module for 782 series relays. Package includes 5 modules.	\$15
AD-ASMM-24	MOV module for 784 and 750 series relays that operate at 24 VAC coil voltage. Package includes 5 modules.	\$15
AD-ASMM-120	MOV module for 784 and 750 series relays that operate at 120 VAC coil voltage. Package includes 5 modules.	\$15
AD-ASMM-240	MOV module for 784 and 750 series relays that operate at 240 VAC coil voltage. Package includes 5 modules.	\$15
AD-BSMM-24	MOV module for 782 series relays that operate at 24 VAC coil voltage. Package includes 5 modules.	\$15
AD-BSMM-120	MOV module for 782 series relays that operate at 120 VAC coil voltage. Package includes 5 modules.	\$15
AD-BSMM-240	MOV module for 782 series relays that operate at 240 VAC coil voltage. Package includes 5 modules.	\$15
Electromechanical Card Relays and Accessories		Aust\$
RS4N-DE	Card relay (4 included), mounted in socket, 24 VDC coil, SPST, 5A contact rating. TY3 relay remover included.	\$43
RS6N-DE	Card relay (6 included), mounted in socket, 24 VDC coil, SPST, 5A contact rating. TY3 relay remover included.	\$55
RB105-DE	Spare relays for the RS series relays, 24 VDC coil, SPST, 5A contact rating, package of 10	\$39
RZ4N	Terminal guard for RS series relays, package of 10	\$25
TY3	Relay remover for RS series relays, package of 10	\$14
Solid State Relays		Aust\$
AD-SSR210-AC	Solid state DIN-rail mount relay, 90-280 VAC coil voltage, 24-280 VAC load voltage, 10A contact rating. Finger-safe design and LED status lamp.	\$59
AD-SSR225-AC	Solid state DIN-rail mount relay, 90-280 VAC coil voltage, 24-280 VAC load voltage, 25A contact rating. Finger-safe design and LED status lamp.	\$69
AD-SSR210-DC	Solid state DIN-rail mount relay, 3-32 VDC coil voltage, 24-280 VAC load voltage, 10A contact rating. Finger-safe design and LED status lamp.	\$49
AD-SSR225-DC	Solid state DIN-rail mount relay, 3-32 VDC coil voltage, 24-280 VAC load voltage, 25A contact rating. Finger-safe design and LED status lamp.	\$69
AD-70S2-04B	Solid state plug-in relay, 3-30 VDC coil voltage, 24-140 VAC load voltage, 4A contact rating	\$30
AD-70S2-04C	Solid state plug-in relay, 3-30 VDC coil voltage, 24-280 VAC load voltage, 4A contact rating	\$30
AD-70S2-04D	Solid state plug-in relay, 3-30 VDC coil voltage, 8-50 VAC load voltage, 4A contact rating	\$30

FUJI Timer Relays and Accessories		Aust\$
MS4SM-AP-ADC	Multi-mode timer with selectable timing range from 0.05 seconds to 60 hours, 100-240 VAC input power, DPDT relay output. Socket mounts not included (purchase separately). For through-door mounting, purchase panel clips PANEL-16 separately.	\$65
MS4SA-AP-ADC	On-delay timer with selectable timing range from 0.05 seconds to 60 hours, 100-240 VAC input power, DPDT relay output. Socket mounts not included (purchase separately). For through-door mounting, purchase panel clips PANEL-16 separately.	\$65
MS4SC-AP-ADC	On-delay timer with selectable timing range from 0.05 seconds to 60 hours, 100-240 VAC input power. SPDT timed relay output and SPDT instant relay output. Socket mounts not included (purchase separately). For through-door mounting, purchase panel clips PANEL-16 separately.	\$65
MS4SM-CE-ADC	Multi-mode timer with selectable timing range from 0.05 seconds to 60 hours, 24 VDC/VAC input power, DPDT relay output. Socket mounts not included (purchase separately). For through-door mounting, purchase panel clips PANEL-16 separately.	\$65
MS4SA-CE-ADC	On-delay timer with selectable timing range from 0.05 seconds to 60 hours, 24 VDC/VAC input power, DPDT relay output. Socket mounts not included (purchase separately). For through-door mounting, purchase panel clips PANEL-16 separately.	\$65
MS4SC-CE-ADC	On-delay timer with selectable timing range from 0.05 seconds to 60 hours, 24 VDC/VAC input power, SPDT timed relay output and SPDT instant relay output. Socket mounts not included (purchase separately). For through-door mounting, purchase panel clips PANEL-16 separately.	\$65
ST7P-2DE5S-ADC	Mini-DIN on-delay timer with timing range of 0.4 seconds to 5 seconds, 24 VDC input power, DPDT relay output	\$49
ST7P-2DE3T-ADC	Mini-DIN on-delay timer with timing range of 2 seconds to 30 seconds, 24 VDC input power, DPDT relay output	\$49
ST7P-2DE6T-ADC	Mini-DIN on-delay timer with timing range of 4 seconds to 60 seconds, 24 VDC input power, DPDT relay output	\$49
ST7P-2DE1N-ADC	Mini-DIN on-delay timer with timing range of 1 min. to 10 min., 24 VDC input power, DPDT relay output	\$49
ST7P-2DE6N-ADC	Mini-DIN on-delay timer with timing range of 4 min. to 60 min., 24 VDC input power, DPDT relay output	\$49
TP411X	DIN rail mounting socket for MS4SM series timers	\$11
TP48X	DIN rail mounting socket for MS4SA and MS4SC series timers	\$11
TP88X2	DIN rail mounting socket for ST7P series timers	\$11
TP411SBA	Panel mounting socket for MS4SM series timers	\$11
TP48SB	Mounting clips for 1/16th DIN timers and temperature/process controllers, 5 clips per package	\$11
PANEL-16	Mounting clips for 1/16th DIN timers and temperature/process controllers, 5 clips per package	\$20
Koyo Timer Relays		Aust\$
KT-V4S-D	Digital, dual preset, timer with fully selectable timing range. Dual line red/green LED display, 100-240 VAC input power. SSR and NPN outputs available.	\$139
KT-V4S-C-D	Digital, dual preset, timer with fully selectable timing range. Dual line red/green LED display, 10-30 VDC input power. SSR and NPN outputs available.	\$139