

Terminator I/O Power Supplies and Terminal Bases		Aust\$
T1K-01AC	AC Power Supply, 120/240 VAC (minimum 1 per system required)	\$225
T1K-01DC	DC Power Supply, 12/24 VDC (minimum 1 per system required)	\$220
Terminator I/O terminal bases and cables		
T1K-08B	Half size terminal base, 3-row/24-pole screw clamp terminals, 12AWG maximum	\$94
T1K-16B	Full size terminal base, 3-row/48-pole screw clamp terminals, 12AWG maximum	\$124
T1K-08B-1	Half size terminal base, 3-row/24-pole spring clamp terminals, 14AWG maximum	\$94
T1K-16B-1	Full size terminal base, 3-row/48-pole spring clamp terminals, 14AWG maximum	\$124
T1K-10CBL	Base expansion cable, 100cm (3.28ft) without 24 VDC pins	\$79
T1K-10CBL-1	Base expansion cable, 100cm (3.28ft) with 24 VDC pins	\$108
T1K-05CBL-LL	Left-side to Left-side base expansion cable, 50 cm (1.64ft) without 24 VDC pins	\$76
T1K-05CBL-LL-1	Left-side to Left-side base expansion cable, 50 cm (1.64ft) with 24 VDC pins	\$105
T1K-05CBL-RR	Right-side to Right-side base expansion cable, 50 cm (1.64ft) without 24 VDC pins	\$76
T1K-05CBL-RR-1	Right-side to Right-side base expansion cable, 50 cm (1.64ft) with 24 VDC pins	\$105
T1K-INST-M	Terminator I/O Installation and I/O Manual covers bases, discrete and analog I/O. Order manual separately.	\$43
Terminator I/O Network Interface Modules		
T1H-EBC	Ethernet Base Controller for Terminator I/O base, for connection to PLC Ethernet master or PC Ethernet network interface card. Supports 10Mb TCP/IP, UDP/IP & IPX.	\$454
T1H-EBC100	Ethernet Base Controller for Terminator I/O base, for connection to PLC Ethernet master or PC Ethernet network interface card. Supports 10/100Mb autosense, TCP/IP, UDP/IP, IPX, and ModbusTCP.	\$568
T1H-EBC-M	User Manual for Terminator Ethernet Base Controllers. Order separately.	\$50
T1H-PBC	Profibus DP Base Controller for Terminator I/O base, for 12Mb connection to your Profibus DP master or PC Profibus DP interface card. Requires ERNI communications connectors listed in Terminator I/O Spare Parts and Accessories section.	\$728
T1H-PBC-M	User Manual for Terminator Profibus Base Controller. Order separately.	\$50
T1K-DEVNETS	DeviceNet Base Controller for Terminator I/O base, for connection to DeviceNet master.	\$364
T1K-DEVNETS-M	User Manual for Terminator DeviceNet Base Controller. Order separately.	\$50
T1K-MODBUS	Modbus RTU Base Controller for Terminator I/O base, for connection to Modbus RTU master.	\$347
T1K-MODBUS-M	User Manual for Terminator Modbus Base Controller. Order separately.	\$50
T1K-RSSS	DirectLOGIC Remote I/O Base Controller for Terminator I/O base. Supports both RM-NET and SM-NET protocols. Uses shielded twisted pair communication cable (24 AWG minimum). Built-in RS232C serial port functional when using SM-NET protocol.	\$453
T1K-RSSS-M	User Manual for Terminator DirectLOGIC Remote I/O Base Controller. Order separately.	\$50
Terminator I/O Discrete Input Modules		
T1K-08ND3	8-point 12-24 VDC current sinking/sourcing input module, 4 points per common (Use with T1K-08B or T1K-08B-1 terminal base.)	\$129
T1K-16ND3	16-point 12-24 VDC current sinking/sourcing input module, 4 points per common (Use with T1K-16B or T1K-16B-1 terminal base.)	\$206
T1K-08NA-1	8-point 110 VAC input module, 4 points per common (Use with T1K-08B or T1K-08B-1 terminal base.)	\$172
T1K-16NA-1	16-point 110 VAC input module, 4 points per common (Use with T1K-16B or T1K-16B-1 terminal base.)	\$290

Terminator I/O Discrete Output Modules		
T1K-08TD1	8-point 12-24 VDC current sinking output module, 4 points per common, 1.0A/point, 2 replaceable fuses (T1K-FUSE-1) (Use with T1K-08B or T1K-08B-1 terminal base.)	\$144
T1K-08TD2-1	8-point 12-24 VDC current sourcing output module, 4pts/common, 1.0A/point, 2 replaceable fuses (Use with T1K-08B or T1K-08B1 terminal base.)	\$153
T1K-16TD1	16-point 12-24 VDC current sinking output module, 4 points per common, 1.0A/point, 4 replaceable fuses (T1K-FUSE-1) (Use with T1K-16B or T1K-16B-1 terminal base.)	\$220
T1K-16TD2-1	16-point 12-24 VDC current sourcing output module, 4pts/common, 1.0A/point, 4 replaceable fuses. (Use with T1K-16B or T1K-16B-1 terminal base.) Note: Replaces T1K-16TD2 with improved derating. Not a direct replacement; simple device wiring change if used as replacement part for T1K-16TD2. See technical specifications.	\$220
T1K-08TA	8-point 110-240 VAC output module, 4 points per common, 1.0A/point, 2 replaceable fuses (T1K-FUSE-2) (Use with T1K-08B or T1K-08B-1 terminal base.)	\$223
T1K-08TAS	8-point 110-240 VAC output module, Isolated 1 point per common, 2.0A/point, 8 replaceable fuses (T1K-FUSE-3) (Isolation requires use of T1K-16B or T1K-16B-1 terminal base.)	\$237
T1H-08TDS	8-point 5-36 VDC current sinking/sourcing isolated output module, 1 point per common, 2.0A/point, electronic overcurrent protection. (Isolation requires use of T1K-16B or T1K-16B-1 terminal base.)	\$340
T1K-16TA	16-point 110-240 VAC output module, 4 points per common, 1.0A/point, 4 replaceable fuses (T1K-FUSE-2) (Use with T1K-16B or T1K-16B-1 terminal base.)	\$309
T1K-08TR	8-point 5-30 VDC or 5-240 VAC output module, 8 Form A (SPST) relays, 4 points per common, 2.0A/point max., 2 replaceable fuses (T1K-FUSE-2) (Use with T1K-08B or T1K-08B-1 terminal base.)	\$158
T1K-16TR	16-point 5-30 VDC or 5-240 VAC output module, 16 Form A (SPST) relays, 4 points per common, 2.0A/point max., 4 replaceable fuses (T1K-FUSE-2) (Use with T1K-16B or T1K-16B-1 terminal base.)	\$285
T1K-08TRS	8-point 5-30 VDC or 5-240 VAC isolated relay output module, 8 Form A (SPST) relays, 1 point per common, 7.0A/point max., 8 replaceable fuses (T1K-FUSE-3) (Isolation requires use of T1K-16B or T1K-16B-1 terminal base.)	\$213
Terminator I/O Analog Modules		
T1F-08AD-1	8 channel analog input module, 14 bit resolution (13 bit plus sign bit), range: -20 to 20mA, 0-20mA, 4-20mA (Use with T1K-08B or T1K-08B-1 terminal base.)	\$520
T1F-08AD-2	8 channel analog input module, 14 bit resolution (13 bit plus sign bit), range: 0-5VDC, 0-10VDC, +/-5VDC, +/-10VDC (Use with T1K-08B or T1K-08B-1 terminal base.)	\$550
T1F-08DA-1	8 channel analog output, 12 bit resolution, range: 0-20mA, 4-20mA (Use with T1K-08B or T1K-08B-1 terminal base.)	\$695
T1F-08DA-2	8 channel analog output, 12 bit resolution, range: 0-5VDC, 0-10VDC, +/-5VDC, +/-10VDC (Use with T1K-08B or T1K-08B-1 terminal base.)	\$790
T1F-16AD-1	16 channel analog input module, 14 bit resolution (13 bit plus sign bit), range: -20 to 20mA, 0-20mA, 4-20mA (Use with T1K-16B or T1K-16B-1 terminal base.)	\$690
T1F-16AD-2	16 channel analog input module, 14 bit resolution (13 bit plus sign bit), range: 0-5VDC, 0-10VDC (Use with T1K-16B or T1K-16B-1 terminal base.)	\$790
T1F-16DA-1	16 channel analog output, 12 bit resolution, range: 0-20mA, 4-20mA (Use with T1K-16B or T1K-16B-1 terminal base.)	\$990
T1F-16DA-2	16 channel analog output, 12 bit resolution, range: 0-5VDC, 0-10VDC, +/-5VDC, +/-10VDC (Use with T1K-16B or T1K-16B-1 terminal base.)	\$1,200
T1F-8AD4DA-1	8 channel analog input module and 4 channel analog output module. Inputs: 14 bit resolution (13 bit plus sign bit), range: -20 to 20mA, 0-20mA, 4-20mA. Outputs: 12 bit resolution, range: 4-20mA, sinking or sourcing compatible. (Use with T1K-08B or T1K-08B-1 terminal base.)	\$690
T1F-8AD4DA-2	8 channel analog input module and 4 channel analog output module. Inputs: 14 bit resolution (13 bit plus sign bit), range: 0-5VDC, 0-10VDC, +/-5VDC, +/-10VDC. Outputs: 12 bit resolution, range: 0-5VDC, 0-10VDC, +/-5VDC, +/-10VDC. (Use with T1K-08B or T1K-08B-1 terminal base.)	\$690

Terminator I/O temperature input modules		
T1F-14THM	14 channel Thermocouple Input Module, 0.1 degree C resolution, supports J, E, K, R, S, T, B, N, C; 0-5VDC, -5 to +5VDC, 0-156mVDC, -156 to +156mVDC at 16-bit resolution. (Use with T1K-16B terminal base only.)	\$920
T1F-16RTD	16 channel RTD input module, 0.1 degree C display resolution, supports: Pt100, jPT100, Cu10, Cu25, and Pt1000. No user power supply required. (Use with T1K-16B or T1K-16B-1 terminal base.)	\$790
Terminator I/O Specialty I/O Modules		
T1H-CTRIO	Terminator I/O High Speed Counter Module, 8 DC sink/source inputs 9-30VDC, 4 isolated sink/source DC outputs, 5-30VDC, 1A per point. Inputs supported: 2 quadrature encoder counters up to 100kHz, or 4 single channel counters up to 100kHz, and 4 high speed discrete inputs for Reset, Inhibit, or Capture. Outputs supported: 4 independently configurable high speed discrete outputs or 2 channels pulse output control, 20Hz-25kHz per channel, pulse and direction or cw/ccw pulses. (Use with T1K-16B or T1K-16B-1 terminal base.)	\$690
Terminator I/O Spare Parts and Accessories		
T1F-CJC	Replacement CJC sensor for T1F-14THM thermocouple module	\$40
T1K-COVERA-1	Terminal block replacement covers, 1/2 size analog modules. Includes T1F-08AD-1 module Cover w/ Numbering label (qty. 2), T1F-08AD-2 module Cover w/ Numbering label (qty. 2), T1F-08DA-1 module Cover w/ Numbering label (qty. 2), T1F-08DA-2 module Cover w/ Numbering label (qty. 2)	\$40
T1K-COVERA-2	Terminal block replacement covers, full size analog modules. Includes T1F-16AD-1 module Cover w/ Numbering label (qty. 2), T1F-16AD-2 module Cover w/ Numbering label (qty. 2), T1F-16DA-1 module Cover w/ Numbering label (qty. 2), T1F-16DA-2 module Cover w/ Numbering label (qty. 2)	\$40
T1K-COVERD-1	Terminal block replacement covers, 1/2 size AC/DC modules. Includes T1K-08ND3 module Cover w/ Numbering label (qty. 2), T1K-08NA module Cover w/ Numbering label (qty. 2), T1K-08TD1 module Cover w/ Numbering label (qty. 2), T1K-08TA module Cover w/ Numbering label (qty. 2), T1K-08TR module Cover w/ Numbering label (qty. 2)	\$45
T1K-COVERD-2	Terminal block replacement covers, full size AC/DC modules. Includes T1K-16ND3 module Cover w/ Numbering label (qty. 2), T1K-16TD1 module Cover w/ Numbering label (qty. 2), T1K-16NA-1 module Cover w/ Numbering label (qty. 2), T1K-16TD2 module Cover w/ Numbering label (qty. 2)	\$45
T1K-COVERD-3	Terminal block replacement covers, full size AC/DC/Relay modules. Includes T1K-08TAS module Cover w/ Numbering label (qty. 2), T1K-16TA module Cover w/ Numbering label (qty. 2), T1K-08TRS module Cover w/ Numbering label (qty. 2), T1K-16TR module Cover w/ Numbering label (qty. 2)	\$45
T1K-FUSE-1	Fuse, for DC output modules, pack of 5	\$30
T1K-FUSE-2	Fuse, for AC/relay output modules, pack of 5	\$30
T1K-FUSE-3	Fuse, for isolated AC/relay output modules, pack of 5	\$30