

	ZIPLinks Connector and Communication Modules	Aust\$
ZL-CM20	ZIPLink feedthrough connector module, 20-pole w/markings labels. Mounts on 35 mm DIN rail part # DN-R35S1.	\$75
ZL-CM24	ZIPLink feedthrough connector module, 24-pole module w/markings labels. Mounts on 35 mm DIN rail part # DN-R35S1.	\$84
ZL-CM40	ZIPLink feedthrough connector module, 40-pole module w/markings labels. Mounts on 35 mm DIN rail part # DN-R35S1.	\$116
DN-15TB	Serial communication adapter module, RS232 and RS485/422 for DL06, D2-250(-1) or D2-260 CPU bottom port and D0-DCM, D-sub connector to terminal blocks. Mounts on 35 mm DIN rail part # DN-R35S1.	\$110
DN-25TB	Serial communication adapter module, RS232 and RS485/422 for DL305/405 PLC bottom port, D3-232-DCU, D3-422-DCU and DL205 & DL305/DL405 DCM modules, D-sub connector to terminal blocks. Mounts on 35 mm DIN rail part # DN-R35S1.	\$105
ZL-CMDB9	Ziplink connector module, any 9-pin male & female D-sub to terminal blocks. Mounts on 35 mm DIN rail part # DN-R35S1.	\$62
ZL-CMDB15	Ziplink connector module, any 15-pin male and female D-sub to terminal blocks. Mounts on 35 mm DIN rail part # DN-R35S1.	\$79
ZL-CMDB25	Ziplink connector module, any 25-pin male and female D-sub to terminal blocks. Mounts on 35 mm DIN rail part # DN-R35S1.	\$104
ZL-CM08L120	ZIPLink LED connector module, for 8-point I/O, with 8 LEDs, 120VAC, 20-pole IDC. Mounts on 35 mm DIN rail part # DN-R35S1.	\$130
ZL-CM08L24	ZIPLink LED connector module, for 8-point I/O, with 8 LEDs, 24VDC, 20-pole IDC. Note: Not compatible with D2-08TD2. Mounts on 35 mm DIN rail part # DN-R35S1.	\$141
ZL-CM08RL120	ZIPLink relay connector module, 8-channel relay, with 8 LEDs, 120VAC, 20-pole IDC (relays included). Note: Not compatible with D2-08TR. Mounts on 35 mm DIN rail part # DN-R35S1.	\$342
ZL-CM08RL24	ZIPLink relay connector module, 8-channel relay, with 8 LEDs, 24VDC, 20-pole IDC (relays included). Mounts on 35 mm DIN rail part # DN-R35S1.	\$234
ZL-CM08TF	ZIPLink fuse connector module, for 8-point I/O, with 8 fuses, 20-pole IDC. Mounts on 35 mm DIN rail part # DN-R35S1.	\$119
ZL-CM056	Ziplink feedthrough connector module for DL05/06 PLC 16-point discrete I/O modules. Utilizes a 25-pin male D-sub connector. Mounts on 35 mm DIN rail part # DN-R35S1.	\$50
ZL-CM16L120	ZIPLink LED connector module, for 16-point I/O, with 16 LEDs, 120VAC, 24-pole IDC. Mounts on 35 mm DIN rail part # DN-R35S1.	\$183
ZL-CM16L24	ZIPLink LED connector module, for 16-point I/O, with 16 LEDs, 24VDC, 24-pole IDC. Mounts on 35 mm DIN rail part # DN-R35S1.	\$145
ZL-CM16RL120A	ZIPLink relay connector module, 16-channel relay, with 16 LEDs, 120VAC, 20-pin connector (relays included). Mounts on 35 mm DIN rail part # DN-R35S1.	\$465
ZL-CM16RL120B	ZIPLink relay connector module, 16-channel relay, with 16 LEDs, 120VAC, 24-pin connector (relays included). Mounts on 35 mm DIN rail part # DN-R35S1.	\$518
ZL-CM16RL24A	ZIPLink relay connector module, 16-channel relay, with 16 LEDs, 24VDC, 20-pin connector (relays included). Mounts on 35 mm DIN rail part # DN-R35S1.	\$518
ZL-CM16RL24B	ZIPLink relay connector module, 16-channel relay, with 16 LEDs, 24VDC, 24-pin connector (relays included). Mounts on 35 mm DIN rail part # DN-R35S1.	\$441
ZL-CM16TF1	ZIPLink fuse connector module, for 16-point I/O, with 16 fuses, 20-pin connector. Mounts on 35 mm DIN rail part # DN-R35S1.	\$189
ZL-CM16TF2	ZIPLink fuse connector module, for 16-point I/O, with 16 fuses, 24-pin connector. Mounts on 35 mm DIN rail part # DN-R35S1.	\$189
ZL-CM32L524	ZIPLink LED connector module, for 32-point I/O, with 32 LEDs, 2-28VDC, 40-pole IDC. Mounts on 35 mm DIN rail part # DN-R35S1.	\$297
ZL-CMRJ12	Ziplink connector module, any RJ12 to terminal blocks. Mounts on 35 mm DIN rail part # DN-R35S1.	\$47
ZL-TD8-24	Ziplink 8-channel feed-through 24VDC diode module. Mounts on 35 mm DIN rail part # DN-R35S1.	\$64
ZL-TD8-120	Ziplink 8-channel feed-through 120VAC diode module. Mounts on 35 mm DIN rail part # DN-R35S1.	\$68
ZL-RELAY-120	ZIPLink 120 VAC 10A Form C relays, for relay connector modules, pack of 10. Mounts on 35 mm DIN rail part # DN-R35S1.	\$121
ZL-RELAY-24	ZIPLink 24 VDC 10A Form C relays, for relay connector modules, pack of 10. Mounts on 35 mm DIN rail part # DN-R35S1.	\$66
ZL-RS1-120	ZIPLink relay socket, single channel, 120VAC, capable for 10A max relays (relays not included, use ZL-RELAY-120 pack of 10). Mounts on 35 mm DIN rail part # DN-R35S1.	\$40
ZL-RS1-24	Ziplink relay socket, single channel, 24VDC, capable for 10A max relays (relays not included, use ZL-RELAY-24 pack of 10). Mounts on 35 mm DIN rail part # DN-R35S1.	\$35
ZL-RS4-120	ZIPLink relay socket, four channel, 120VAC, capable for 10A max relays (relays not included, use ZL-RELAY-120 pack of 10). Mounts on 35 mm DIN rail part # DN-R35S1.	\$88
ZL-RS4-24	Ziplink relay socket, four channel, 24VDC, capable for 10A max relays (relays not included, use ZL-RELAY-24 pack of 10). Mounts on 35 mm DIN rail part # DN-R35S1.	\$84

ZIPLinks Connector Cables		
ZL-2CBL1	ZIPLink cable, for DL205, for use with 8-point modules, 24 AWG, 0.5 meter (1.6 ft.) length	\$64
ZL-2CBL1-1	ZIPLink cable, for DL205, for use with 8-point modules, 24 AWG, 1.0 meter (3.3 ft.) length	\$66
ZL-2CBL1-2	ZIPLink cable, for DL205, for use with 8-point modules, 24 AWG, 2.0 meter (6.5 ft.) length	\$68
ZL-2CBL2	ZIPLink cable, for DL205, for use with 12 or 16-point modules, 24 AWG, 0.5 meter (1.6 ft.) length	\$110
ZL-2CBL2-1	ZIPLink cable, for DL205, for use with 12 or 16-point modules, 24 AWG, 1.0 meter (3.3 ft.) length	\$110
ZL-2CBL2-2	ZIPLink cable, for DL205, for use with 12 or 16-point modules, 24 AWG, 2.0 meter (6.5 ft.) length	\$115
ZL-2CBL2-2P	Ziplink ready-to-wire 20-conductor pigtail cable with 20 tinned wires, 2A max per conductor, 2.0 meter (6.6 ft.) length	\$66
ZL-2CBL2L	ZIPLink cable, for DL205, for use with 16-point LED or sensor connector modules, 24 AWG, 0.5 meter (1.6 ft.) length	\$101
ZL-2CBL2L-1	ZIPLink cable, for DL205, for use with 16-point LED or sensor connector modules, 24 AWG, 1.0 meter (3.3 ft.) length	\$115
ZL-2CBL2L-2	ZIPLink cable, for DL205, for use with 16-point LED or sensor connector modules, 24 AWG, 2.0 meter (6.6 ft.) length	\$119
ZL-3CBL1FR8	ZIPLink cable, for DL305, for use with 8-point fuse or relay connector modules, 24 AWG, 0.5 meter (1.6 ft.) length	\$75
ZL-3CBL1FR8-1	ZIPLink cable, for DL305, for use with 8-point fuse or relay connector modules, 24 AWG, 1.0 meter (3.3 ft.) length	\$84
ZL-3CBL1FR8-2	ZIPLink cable, for DL305, for use with 8-point fuse or relay connector modules, 24 AWG, 2.0 meter (6.6 ft.) length	\$93
ZL-3CBL2	ZIPLink cable, for DL305, for use with 16-point modules, 24 AWG, 0.5 meter (1.6 ft.) length	\$82
ZL-3CBL2-1	ZIPLink cable, for DL305, for use with 16-point modules, 24 AWG, 1.0 meter (3.3 ft.) length	\$88
ZL-3CBL2-2	ZIPLink cable, for DL305, for use with 16-point modules, 24 AWG, 2.0 meter (6.5 ft.) length	\$95
ZL-3CBL2FR16	ZIPLink cable, for DL305, for use with 16-point fuse or relay connector modules, 24 AWG, 0.5 meter (1.6 ft.) length	\$88
ZL-3CBL2FR16-1	ZIPLink cable, for DL305, for use with 16-point fuse or relay connector modules, 24 AWG, 1.0 meter (3.3 ft.) length	\$93
ZL-3CBL2FR16-2	ZIPLink cable, for DL305, for use with 16-point fuse or relay connector modules, 24 AWG, 2.0 meter (6.6 ft.) length	\$97
ZL-3CBL2L	ZIPLink cable, for DL205, for use with 16-point LED or sensor connector modules, 24 AWG, 0.5 meter (1.6 ft.) length	\$93
ZL-3CBL2L-1	ZIPLink cable, for DL205, for use with 16-point LED or sensor connector modules, 24 AWG, 1.0 meter (3.3 ft.) length	\$101
ZL-3CBL2L-2	ZIPLink cable, for DL205, for use with 16-point LED or sensor connector modules, 24 AWG, 2.0 meter (6.6 ft.) length	\$110
ZL-3CBL3	ZIPLink cable, for DL305, for use with 16-point modules, 24 AWG, 0.5 meter (1.6 ft.) length	\$123
ZL-3CBL3-1	ZIPLink cable, for DL305, for use with 16-point modules, 24 AWG, 1.0 meter (3.3 ft.) length	\$128
ZL-3CBL3-2	ZIPLink cable, for DL305, for use with 16-point modules, 24 AWG, 2.0 meter (6.5 ft.) length	\$132
ZL-3CBL3-2P	Ziplink ready-to-wire 24-conductor pigtail cable with 24 tinned wires, 2A max per conductor, 2.0 meter (6.6 ft.) length	\$97
ZL-3CBL3FRD16	ZIPLink cable, for DL305, for use with 16-point fuse or relay connector modules, D-shell connector with 16 wires, 24 AWG, 0.5 meter (1.6 ft.) length	\$123
ZL-3CBL3FRD16-1	ZIPLink cable, for DL305, for use with 16-point fuse or relay connector modules, D-shell connector with 16 wires, 24 AWG, 1.0 meter (3.3 ft.) length	\$128
ZL-3CBL3FRD16-2	ZIPLink cable, for DL305, for use with 16-point fuse or relay connector modules, D-shell connector with 16 wires, 24 AWG, 2.0 meter (6.6 ft.) length	\$132
ZL-4CBL2	ZIPLink cable, for DL405 or DL205 32 and 64-point modules, 16 wires, 24 AWG, 0.5 meter (1.6 ft.) length	\$97
ZL-4CBL2-1	ZIPLink cable, for DL405 or DL205 32 and 64-point modules, 16 wires, 24 AWG, 1.0 meter (3.3 ft.) length	\$106
ZL-4CBL2-2	ZIPLink cable, for DL405 or DL205 32 and 64-point modules, 16 wires, 24 AWG, 2.0 meter (6.5 ft.) length	\$115
ZL-4CBL4	ZIPLink cable, for DL405 or DL205 32 and 64-point modules, 32 wires, 24 AWG, 0.5 meter (1.6 ft.) length	\$132
ZL-4CBL4-1	ZIPLink cable, for DL405 or DL205 32 and 64-point modules, 32 wires, 24 AWG, 1.0 meter (3.3 ft.) length	\$141

ZIPLinks Connector Cables		
ZL-4CBL4-2	ZIPLink cable, for DL405 or DL205 32 and 64-point modules, 32 wires, 24 AWG, 2.0 meter (6.5 ft.) length	\$150
ZL-CBL056	Ziplink cable for DL05 & DL06 PLC 16-point discrete I/O feedthrough connector modules, 0.5 meter (1.6 ft.) length	\$51
ZL-CBL056L	Ziplink cable for DL05 & DL06 PLC 16-point discrete I/O LED connector modules, 0.5 meter (1.6 ft.) length	\$73
ZL-CBL056FR	Ziplink cable for DL05 & DL06 PLC 16-point discrete I/O fuse or relay connector modules, 0.5 meter (1.6 ft.) length	\$68
ZL-DN15TB-CBL	Ziplink cable, for DL06, D2-250(-1) or D2-260 CPU to use with DN-15TB serial communications adapter module, 15-pin HD female 4-40 jack screws to 15 pin HD male 2.6 mm jack screw, shielded, 2.0 meter (6.5 ft.) length	\$22
ZL-DN25TB-CBL	Ziplink cable, for D3-350 CPU & DL405 CPUs to use with DN-25TB serial communications adapter module, 25-pin DSub female 4-40 jack screws to 25-pin DSub male 2.6 mm jack screw, shielded, 2.0 meter (6.5 ft.) length	\$22
ZL-RJ12-CBL	Standard cable with RJ12 connectors on both ends, gray jacket, 2.0 meter (6.6 ft.) length	\$9
ZL-DB9-CBL	Standard shielded cable with 9-pin Dsub connectors on both ends, black, 2.0 meter (6.6 ft.) length	\$24
ZL-DB15-CBL	Standard shielded cable with 15-pin Dsub connectors on both ends, black, 2.0 meter (6.6 ft.) length	\$24
ZL-DB25-CBL	Standard shielded cable with 25-pin Dsub connectors on both ends, black, 2.0 meter (6.6 ft.) length	\$26
ZIPLinks Accessories and Kits		
ZL-RELAY-KIT	10 spare relay spring clips for Ziplink relay modules (1 bag)	\$20
ZL-FUSE-KIT	10 spare fuses & fuse covers for Ziplink fuse modules (1 bag)	\$40
ZL-CAPKIT	Capacitor for use with ZL-RS1-120 and ZL-RS4-120 relay modules when connected to the output of an AC triac device.	\$7